




GB/T19001-2016/ISO9001-2015



ADD : No.886 Changfeng Street, Shudou Park,
Licheng district, Quanzhou, Fujian, China
Tel: +86-595-2856-3681 Fax: +86-595-2856-3681
Web: www.odmradiocom.com / www.HYDXradio.com



PROFESSIONAL
TWO-WAY RADIO

POC

Fujian Juston Electronic Equipment Co.,Ltd.

About us

Fujian Juston is a professional manufacturer in two way radio, DMR digital radio & mobile radio. Be full of experience in ODM and OEM service, we can ensure you world top class quality with competitive price.

Founded in 2011 in Quanzhou, China, Juston has accumulated profound market resources and channel resources after more than ten years of expansion. We got the certifications of CE, FCC, IC and RoSH for our portable walkie talkie. With a large number of customer from Europe, Asia, North America and South America, we aim to expand our production to all over the world.

As one of the few corporations that masters DMR technologies, and introduces product series of all these mainstream digital radios, Juston will do best to highlight and further strengthen the competitive edge in DMR market. Juston has owned an international sales network and competent R&D team of over 10 engineers (Hardw-are and Software) to establish a update platform for digital technology research, product design and application development.

Digital *Products*



D2000

DUAL BAND DMR
10,000 digital contacts



Function:

- ✦ CE/FCC/IC Approval
- ✦ 4000 Channels (250 Zones 16CH per Zone)
- ✦ Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- ✦ Double PTT
- ✦ Various Analog Signaling Types (DTMF, CTCSS, DCS)
- ✦ Multiple Scanning Functions
- ✦ Versatile Voice Calls
- ✦ One Touch Text
- ✦ Voice Annunciation
- ✦ Kill/Stun (Digital Mode)
- ✦ Single/Dual Standby Switch
- ✦ 1.8" TFT Colorful Display and Customized Display
- ✦ Voice Recording Optional (Analog/Digital, Playback, Delete)
- ✦ 2200mAh Li-ion Battery
- ✦ Side Key Programming

TD-300

Digital Transceiver



Function:

- ✦ CE/FCC/IC Approval
- ✦ Two Color Injection Molding
- ✦ 136-174/400-470MHz
- ✦ Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- ✦ Loner Worker
- ✦ 1024 Digital Contacts
- ✦ Recorder 30mins
- ✦ Keypad Programmable
- ✦ Secure Communication with Digital Encryption
- ✦ Two Slot Communication
- ✦ HR-C7000+AMBE+1846S
- ✦ Built-in Encryption For Security
- ✦ Voice Recording (Analog/Digital, Playback, Delete)
- ✦ Bluetooth (Optional)
- ✦ High Power Output 8W@8.4V





D200

Digital Transceiver

Function:

- › CE/FCC/IC Approval
- › 136-174/400-470MHz
- › Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- › Versatile Voice Calls
- › Loner Worker
- › Built-in Encryption For Security
- › Voice Recording (Analog/Digital, Playback, Delete)
- › Bluetooth (Optional)
- › High Power Output 5W@8.4V



D800

Digital Transceiver

Function:

- › CE/FCC/IC Approval
- › 136-174/400-470MHz
- › Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- › Versatile Voice Calls
- › Loner Worker
- › Built-in Encryption for Security
- › Voice Recording (Analog/Digital, Playback, Delete)
- › Bluetooth (Optional)
- › High Power Output 5W@8.4V



New!

D600 DMR Digital Transceiver

Function:

- CE/FCC/IC Approval
- 136-174/400-470MHz
- Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- Versatile Voice Calls
- Loner Worker
- Bright LCD Display 128*64
- Text Messaging
- Built-in Encryption for Security
- Voice Recording (Analog/Digital, Playback, Delete)
- Bluetooth (Optional)
- High Power Output 5W@8.4V

D1000 DMR Digital Transceiver

Function:

- CE/FCC/IC Approval
- 136-174/400-470MHz
- Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- Versatile Voice Calls
- Loner Worker
- Bright LCD Display 128*64
- Text Messaging
- Built-in Encryption For Security
- Voice Recording (Analog/Digital, Playback, Delete)
- Bluetooth (Optional)
- High Power Output 5W@8.4V



New!



D21 DMR

Digital Transceiver

Function:

- ✧ CE/FCC/IC Approval
- ✧ 32 Channels
- ✧ Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- ✧ 1600/2500mAh Li-ion Battery
- ✧ HR-C6000+AMBE+AK2365 Classic Solution
- ✧ Digital Encryption
- ✧ Strong Anti-interference
- ✧ Secure Communication
- ✧ Tail Elimination
- ✧ Power Save
- ✧ Programming Keys
- ✧ Monitor (Analog)
- ✧ 5W DMR Radio

D25 DMR

Digital Transceiver

Function:

- ✧ CE/FCC/IC Approval
- ✧ High/Low Power
- ✧ RDA Solution
- ✧ Tail Elimination
- ✧ Monitor (Analog)
- ✧ Power Save
- ✧ Programming Keys
- ✧ TOT
- ✧ VOX/Sensitivity
- ✧ Encryption
- ✧ Wide/Narrow Selection
- ✧ Scan





D50 DMR Digital Transceiver



Function:

- » CE/FCC/IC Approval
- » 136-174/350-400/400-470MHz
- » Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- » Versatile Voice Calls
- » Secure Communication
- » Battery Indicator
- » Software Upgradable
- » Throwing Resistance
- » Hours Recorder Built-in
- » MOTOROLA Audio Jack
- » 1.8" TFT Colorful Display

D60 DMR Digital Transceiver



Function:

- » CE/FCC/IC Approval
- » 136-174/350-400/400-470MHz
- » Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- » Versatile Voice Calls
- » Secure Communication
- » Battery Indicator
- » Software Upgradable
- » Throwing Resistance
- » Hours Recorder Built-in
- » MOTOROLA Audio Jack
- » 1.8" TFT Colorful Display





D260 DMR Digital Transceiver

Function:

- » CE/FCC/IC Approval
- » 136-174/350-400/400-470/450-520MHz
- » Emergency Button Available
- » Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- » Versatile Voice Calls
- » Loner Worker
- » Bright LCD Display 128*32
- » Industry-Leading Audio Quality
- » Built-in Encryption for Security



D270 DMR Digital Transceiver

Function:

- » CE/FCC/IC Approval
- » 136-174/350-400/400-470/450-520MHz
- » Emergency Button Available
- » Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- » Versatile Voice Calls
- » Loner Worker
- » Bright LCD Display 128*32
- » Industry-Leading Audio Quality
- » Built-in Encryption for Security



D31 DMR Digital Transceiver

Function:

- › CE/FCC/IC Approval
- › Compatible with MOTOTRBO/Hytera
- › Exceptional Lightweight Design
- › AMBE+2TM Vocoder
- › Rugged Industrial Design with IP66
- › Industry-Leading Audio Quality
- › 32 Channels
- › Digital Voice Encryption
- › 5W DMR Radio



D33 DMR Digital Transceiver

Function:

- › CE/FCC/IC Approval
- › AMBE+2TM Vocoder
- › 136-174/400-480MHz
- › 32 Channels
- › 5W DMR Radio
- › Digital Voice Encryption
- › Squelch
- › Tail Elimination
- › 2200mAh Li-ion Battery@7.4V



D35 DMR Digital Transceiver

Function:

- » CE/FCC/IC Approval
- » 32 Channels
- » Direct or Repeater TDMA Tier II Modes (Hytera, MOTOROLA, Kirisun etc.)
- » 1600/2500mAh Li-ion Battery
- » Digital Encryption
- » Strong Anti-interference
- » Secure Communication
- » Tail Elimination
- » Power Save
- » Programming Keys
- » Monitor (Analog)
- » 5W DMR Radio

D8000 DMR Digital Transceiver

Function:

- » TDMA Mode with 2 Slots
- » Integrated Heat Sink and Back Panel Fan
- » Smart Detection Digital & Analog Signals in Single Channel
- » Sharing A Channel with Multiple Groups
- » Brightly LED Indication
- » Automatic Voltage and Temperature Protection
- » Support Third Party Duplexer Built-in
- » DMR Repeater





D808 dPMR_{digital}

Standard Transceiver

Function:

- ✧ CE/FCC/IC Approval
- ✧ DPMR Standard
- ✧ 400-480MHz/136-174MHz
- ✧ Exceptional Lightweight Design
- ✧ Power Switchable 5W/2W
- ✧ Digital/Analog Auto Exchange
- ✧ Digital Voice Encryption
- ✧ Stun/Kill Function
- ✧ Remote Monitor
- ✧ ASELP Vocoder 1.7



D818 dPMR_{digital}

Standard Transceiver

Function:

- ✧ CE/FCC/IC Approval
- ✧ DPMR Standard
- ✧ 400-480MHz/136-174MHz
- ✧ Exceptional Lightweight Design
- ✧ Power Switchable 5W/2W
- ✧ Digital/Analog Auto Exchange
- ✧ Digital Voice Encryption
- ✧ Stun/Kill Function
- ✧ Remote Monitor
- ✧ Text Messaging
- ✧ ASELP Vocoder 1.7

***Analog** Products*



H5

Compact Commercial Radio

CE/FCC/IC Approval

Function:

- » 400-470MHz/136-174MHz
- » Chinese/English Voice Report
- » Power Output 5W
- » Compandor
- » Scrambler
- » Battery Save
- » 16 Channels Capacity
- » VOX Function
- » CTCSS/DCS Support Non-standard input
- » Wide/Narrow Bandwidth
- » Scanning

A588

Long Communication Range Amateur Radio

CE/FCC/IC Approval

Function:

- » 400-470MHz/136-174MHz
- » Chinese/English Voice Report
- » Power Output 5W
- » Compandor
- » Scrambler
- » Battery Save
- » 128 Channels Capacity
- » VOX Function
- » CTCSS/DCS Support Non-standard input
- » Wide/Narrow Bandwidth
- » Scanning
- » NOAA Weather Forecast
- » 2200mAh Li-ion Battery





A518 Ultra-Long Standby Time Analog Commercial Radio CE/FCC/IC Approval

Function:

- 400-470MHz/136-174MHz
- Chinese/English Voice Report
- Power Output 2W
- Compandor
- Scrambler
- Battery Save
- 16 Channels
- VOX
- CTCSS/DCS
- Wide/Narrow Band
- Scan
- 4400mAh(Standard)/5200mAh(Optional)



A518P Ultra-Long Standby Time Analog Commercial Radio CE/FCC/IC Approval

Function:

- 400-470MHz/136-174MHz
- Chinese/English Voice Report
- Power Output 2W
- Compandor
- Scrambler
- Battery Save
- 16 Channels
- VOX
- CTCSS/DCS
- Wide/Narrow Band
- Scan
- 4400mAh(Standard)/5200mAh(Optional)





A800 (8W)

Commercial Radio

Function:

- 400-470MHz/136-174MHz
- Chinese/English voice report
- High/Low Power Switchable
- Compandor
- Scrambler
- Battery Save
- 16 Channels
- VOX
- CTCSS/DCS
- Wide/Narrow Band
- BCLO
- Scan
- SQL
- 2200mAh Li-ion Battery

A800P (8W)

Commercial Radio

Function:

- 400-470MHz/136-174MHz
- Chinese/English voice report
- High/Low Power Switchable
- Compandor
- Scrambler
- Battery Save
- 16 Channels
- VOX
- CTCSS/DCS
- Wide/Narrow Band
- BCLO
- Scan
- SQL
- 2200mAh Li-ion Battery





M11 **10W**

Analog Commercial Radio

Function:

- ✦ Support Non-Standard
- ✦ High Power Output 10W
- ✦ Repeater Function
- ✦ 400-470MHz/136-174MHz
- ✦ Scrambler
- ✦ Compandor
- ✦ VOX
- ✦ Monitor
- ✦ DTMF
- ✦ 2200mAh Li-ion Battery

F10

Cost-Effective Super Mini Commercial Radio CE/FCC/IC Approval

Function:

- ✦ 1200mAh Li-ion Battery
- ✦ Scrambler Function
- ✦ Output Power 2W
- ✦ 400-470MHz
- ✦ 16 Channels
- ✦ Monitor
- ✦ CTCSS/DCS
- ✦ VOX
- ✦ Scan
- ✦ USB Charging
- ✦ Double PTT





Q608

Professional FM Transceiver

Function:

- › CE/FCC/ROHS approval
- › Non-Magnetic Speaker
- › High Power Output 11W@8.4V
- › Extra Wide Communication Range
- › Wide Cover Range
- › Extra Long Battery Life
- › Long Communication Distance
- › 400-470MHz/136-174MHz
- › Scrambler
- › Compandor
- › 2800mAh Li-ion Battery



Q609

Professional FM Transceiver

Function:

- › CE/FCC/ROHS approval
- › Non-Magnetic Speaker
- › High Power Output 11W@8.4V
- › Extra Wide Communication Range
- › Wide Cover Range
- › Extra Long Battery Life
- › Long Communication Distance
- › 400-470MHz/136-174MHz
- › Scrambler
- › Compandor
- › 2800mAh Li-ion Battery



Q600

Professional FM Transceiver

Function:

- » Non-Magnetic Speaker
- » High Power Output 10W@8.4V
- » Extra Wide Communication Range
- » Wide Cover Range
- » Extra Long Battery Life
- » Long Communication Distance
- » 400-470MHz/136-174MHz
- » Monitor
- » VOX
- » Tail Elimination
- » Channel Scanning
- » High Battery Capacity 2500mAh



Q610

Professional FM Transceiver

Function:

- » Non-magnetic Speaker
- » High Power Output 10W@8.4V
- » Extra Wide Communication Range
- » Wide Cover Range
- » Extra Long Battery Life
- » Long Communication Distance
- » 400-470MHz/136-174MHz
- » Scrambler
- » Compandor
- » 2200mAh Li-ion Battery



Q630

Professional FM Transceiver

Function:

- › Non-magnetic Speaker
- › High Power Output 10W@8.4V
- › Extra Wide Communication Range
- › Wide Cover Range
- › Extra Long Battery Life
- › Long Communication Distance
- › 400-470MHz/136-174MHz
- › Scrambler
- › Compandor
- › 2200mAh Li-ion Battery

C108

Professional FM Transceiver



Function:

- › Super Economic Factory Price
- › Wide Cover Range
- › 400-470MHz/136-174MHz
- › Monitor
- › CTCSS/DCS
- › Scrambler
- › VOX
- › Power Save
- › Busy Channel Lock-out
- › 1600mAh Li-ion Battery





K28

Analog Dual Band Radio

Function:

- » UHF/VHF Dual Band Working
- » 400-470/136-174MHz
- » 256 Channels Capacity
- » Encrypted Communication
- » VFO/MR/CH Working Modes
- » Stun/Kill
- » 1750Hz
- » Phone Book
- » 2 Tone Encode/Decode
- » Password Security
- » Power Output 5W@8.4V

C112

Professional FM Transceiver

Function:

- » Super Economic Factory Price
- » Wide Cover Range
- » 400-470MHz/136-174MHz
- » Monitor
- » CTCSS/DCS
- » Scrambler
- » Squelch
- » VOX
- » Power Save
- » Compandor
- » 1100mAh Li-ion Battery





C112A

Professional FM Transceiver

Function:

- › Super Economic Factory Price
- › Wide Cover Range
- › 400-470MHz/136-174MHz
- › Monitor
- › CTCSS/DCS
- › Scrambler
- › Squelch
- › VOX
- › Power Save
- › Compandor
- › 1100mAh Li-ion Battery



C118

Professional FM Transceiver

Function:

- › Super Economic Factory Price
- › Wide Cover Range
- › 400-470MHz/136-174MHz
- › Monitor
- › CTCSS/DCS
- › Scrambler
- › VOX
- › Power Save
- › Busy Channel Lock-out
- › 1600mAh Li-ion Battery
- › Power Output 5W@8.4V



A2

Professional FM Transceiver

Function:

- 400-470/136-174MHz
- 16 Channels
- Power Switchable 5/2W
- DTMF Encode/Decode
- Emergency Alarm
- Squelch Tail Elimination
- Busy Channel Lock Out
- CTCSS CDCSS
- RDA Solution
- 1600mAh Li-ion Battery

A31

Professional FM Transceiver

Function:

- 400-470/136-174MHz
- DTMF Encode/Decode
- Side-key Programming
- Reverse Frequency/Offset
- CTCSS 50/DCS 105
- Low Battery Alert
- PTT ID/Keypad Lock Function
- 199 Channels
- 1600mAh Li-ion Battery





A6

Professional FM Transceiver

Function:

- ✧ 400-470/136-174MHz
- ✧ VFO/MR/CH Working Modes
- ✧ Password Setting
- ✧ DTMF Encode/Decode
- ✧ Wide/Narrow Bandwidth
- ✧ CTCSS 50/DCS 105
- ✧ Tail Elimination
- ✧ Reverser Frequency/Offset
- ✧ High/Low Power 5W/2W
- ✧ 1600mAh Li-ion Battery



A68

Professional FM Transceiver

Function:

- ✧ 400-470/136-174MHz
- ✧ 16 Channels
- ✧ Power Switchable 5/2W
- ✧ DTMF Encode/Decode
- ✧ Emergency Alarm
- ✧ Squelch Tail Elimination
- ✧ Busy Channel Lock Out
- ✧ CTCSS CDCSS
- ✧ RDA Solution
- ✧ 1600mAh Li-ion Battery



H3 Type C Charging Connector Compact Commercial Radio

CE/FCC/IC Approval

Function:

- » 400-470MHz/136-174MHz
- » Chinese/English voice report
- » High/Low Power Switchable
- » Compandor
- » Scrambler
- » Battery Save
- » 16 Channels
- » VOX
- » CTCSS/DCS
- » Wide/Narrow Band
- » BCLO
- » Scan
- » SQL



H2 Compact Commercial Radio

CE/FCC/IC Approval

Function:

- » 400-470MHz/136-174MHz
- » Chinese/English Voice Report
- » Power Output 2W
- » Compandor
- » Scrambler
- » Battery Save
- » 16 Channels Capacity
- » VOX Function
- » CTCSS/DCS Support Non-standard input
- » Wide/Narrow Band
- » Scanning
- » Typ-C USB Charging

POC *Radio*



G500 4G LTE IP Network Radios Robust, Rugged & Heavy-duty Design

Function:

- ✧ 2G/3G/4G Auto Switch
- ✧ 1.77 inch Colorful LCD Display Screen 128*64
- ✧ Private Call/ Group Call/Priority Call
- ✧ SOS Functions
- ✧ Friend Functions
- ✧ 5200mAh Large Battery Capacity
- ✧ Unlimited Talking Distance, Cover a Whole Country
- ✧ Support Real-PTT Platform&Pocstar Platform
- ✧ Beidou/GPS Function (Optional)
- ✧ Battery Power Voice Prompt
- ✧ Software & Module Remote Update
- ✧ Crisp, Clear&High Quality Sound, High Fidelity Output